

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2022 Version number 10 Revision: 20.05.2022

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name **Emcefix Floor**

· Relevant identified uses of the substance or mixture and

No further relevant information available. uses advised against

· Application of the substance

Sealing mortar / the mixture

· Details of the supplier of the safety data sheet

MC-Bauchemie Müller GmbH & Co. KG · Manufacturer/Supplier:

> Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

msds@mc-bauchemie.de

2 Hazards identification

· Classification of the substance or mixture

Acute Tox. 5 H333 May be harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms



GHS05 GHS07

· Signal word Danger

Hazard-determining

components of labelling: Cement, portland, chemicals

Cr(VI)<2ppm

calcium suifoaluminate clinker

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2022 Version number 10 Revision: 20.05.2022

Trade name Emcefix Floor

(Contd. of page 1)

calcium sulphate, natural

calcium dihydroxide

· Hazard statements May be harmful if inhaled.

Causes skin irritation.

Causes serious eye damage. May cause an allergic skin reaction.

May cause respiratory irritation.

• **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapours/spray.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

 Dangerous 	components:	
14808-60-7	Quartz (SiO2)	25-50%
65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm	
	Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	
	calcium suifoaluminate clinker Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	≥10-<20%
1305-62-0	calcium dihydroxide Eye Dam. 1, H318; Skin Irrit. 2, H315	≥1-<2.5%
68475-76-3	Flue dust, portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<2.5%
7778-18-9	calcium sulphate, natural Acute Tox. 4, H302; Acute Tox. 4, H332	<1.5%
13463-67-7	titanium dioxide Carc. 2, H351; Acute Tox. 5, H333	≥0.1-<1%

• Additional information For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2022 Version number 10 Revision: 20.05.2022

Trade name Emcefix Floor

(Contd. of page 2)

4 First aid measures

Description of first aid measures

• After inhalation In case of unconsciousness bring patient into stable side position

for transport.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

• After eye contact Rinse opened eye for several minutes under running water. Then

consult a doctor.

· After swallowing In case of persistent symptoms consult doctor.

 Information for doctor
 Most important symptoms and effects, both acute and

delayed

No further relevant information available.

Indication of any immediate medical attention and special

treatment needed No further relevant information available.

5 Firefighting measures

· Extinguishing media

· Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with

water jet or alcohol-resistant foam.

Special hazards arising from

the substance or mixture No fur

No further relevant information available.

Advice for firefighters

• **Protective equipment:** No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and

emergency procedures Not required.

· Environmental precautions: No special measures required.

· Methods and material for

containment and cleaning up: Ensure adequate ventilation.

• Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

· Handling

· Precautions for safe handling Prevent formation of dust.

· Information about protection

against explosions and fires: No special measures required.

(Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Version number 10 Revision: 20.05.2022 Printing date 20.05.2022

Trade name Emcefix Floor

(Contd. of page 3)

· Conditions for safe storage, including any incompatibilities

· Requirements to be met by

storerooms and containers: No special requirements.

Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· Storage class

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

Components with critical	I values that require monitoring at the workplac	e:
14808-60-7 Quartz (SiO2)		
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2	
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0.025* mg/m³ *respirable particulate matter, A2	
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction	
65997-15-1 Cement, port Cr(VI)<2ppm	land, chemicals	
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 1* mg/m³ E; *as respirable fraction, A4	
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust	
1305-62-0 calcium dihyd	roxide	
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 5 mg/m³	
TLV (USA)	Long-term value: 5 mg/m³	
IOELV (European Union)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction	





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2022 Version number 10 Revision: 20.05.2022

Trade name Emcefix Floor

WEL (Great Britain) Short-term value: 4* mg/m³ Long-term value: 5 1* mg/m³ *resprable fraction 69012-64-2 amorphous silica (fume) TLV (USA) TLV withdrawn 7778-18-9 calcium sulphate, natural PEL (USA) Long-term value: 15* 5** mg/m² *total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m² *total dust **respirable fraction TLV (USA) Long-term value: 10* mg/m³ *as inhalable fraction 13463-67-7 titanium dioxide PEL (USA) Long-term value: 15* mg/m³ *total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: (10) NIC-0.2° NIC: resp. fraction, *nanoscale	
TLV (USA) 7778-18-9 calcium sulphate, natural PEL (USA) REL (USA) Long-term value: 15* 5** mg/m* *total dust **respirable fraction Long-term value: 10* 5** mg/m* *total dust **respirable fraction Long-term value: 10* mg/m³ *as inhalable fraction 13463-67-7 titanium dioxide PEL (USA) Long-term value: 15* mg/m³ *total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: (10) NIC-0.2*	
7778-18-9 calcium sulphate, natural PEL (USA) Long-term value: 15* 5** mg/m. *total dust **respirable fraction Long-term value: 10* 5** mg/m. *total dust **respirable fraction TLV (USA) Long-term value: 10* mg/m³ *as inhalable fraction 13463-67-7 titanium dioxide PEL (USA) Long-term value: 15* mg/m³ *total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: (10) NIC-0.25	
PEL (USA) Long-term value: 15* 5** mg/m *total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m *total dust **respirable fraction TLV (USA) Long-term value: 10* mg/m³ *as inhalable fraction 13463-67-7 titanium dioxide PEL (USA) Long-term value: 15* mg/m³ *total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: (10) NIC-0.23	
*total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m *total dust **respirable fraction TLV (USA) Long-term value: 10* mg/m³ *as inhalable fraction 13463-67-7 titanium dioxide PEL (USA) Long-term value: 15* mg/m³ *total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: (10) NIC-0.2°	
*total dust **respirable fraction TLV (USA) Long-term value: 10* mg/m³ *as inhalable fraction 13463-67-7 titanium dioxide PEL (USA) Long-term value: 15* mg/m³ *total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: (10) NIC-0.2°	3
as inhalable fraction 13463-67-7 titanium dioxide PEL (USA) Long-term value: 15 mg/m³ *total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: (10) NIC-0.2°	3
PEL (USA) Long-term value: 15* mg/m³ *total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: (10) NIC-0.2°	
*total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: (10) NIC-0.2	
TLV (USA) Long-term value: (10) NIC-0.2	
WEL (Great Britain) Long-term value: 10* 4** mg/m *total inhalable **respirable	3
DNELs	
65997-15-1 Cement, portland, chemicals Cr(VI)<2ppm	
Inhalative DNEL 1 mg/m³ (ArL)	
1305-62-0 calcium dihydroxide	
Inhalative DNEL 1 mg/m³ (ArL)	
7778-18-9 calcium sulphate, natural	
Oral DNEL 1.52 mg/kg bw/Tag (ArL)	
Inhalative DNEL 21.17 mg/m³ (ArL)	
PNECs	
1305-62-0 calcium dihydroxide	
PNEC 3 mg/l (BEL)	
0.32 mg/l (Mew)	
0.49 mg/l (Suw)	
PNEC 1080 mg/kg dwt (Bod)	
7778-18-9 calcium sulphate, natural	
PNEC 100 mg/l (Kla)	

- Additional information: The lists that were valid during the compilation were used as basis.
- · Exposure controls
- Personal protective equipment
- General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

(Contd. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2022 Version number 10 Revision: 20.05.2022

Trade name Emcefix Floor

(Contd. of page 5)

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment: In case of brief exposure or low pollution use breathing filter

apparatus. In case of intensive or longer exposure use breathing

apparatus that is independent of circulating air.

Filter P1.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

• Material of gloves The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

Natural rubber, NR Nitrile rubber, NBR

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Tightly sealed safety glasses.

· **Body protection:** Protective work clothing.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solid.
Colour: Whitish
Smell: Characteristic

· Change in condition

Melting point/freezing point: Not determined **Initial boiling point and boiling range:** Not determined

· Flash point: Not applicable

· Self-inflammability: Product is not selfigniting.

• Explosive properties: Product is not explosive.

· Density at 20 °C 1.15 kg/dm³

· Solubility in / Miscibility with

Water: Unsoluble

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 20.05.2022 Printing date 20.05.2022 Version number 10

Trade name Emcefix Floor

(Contd. of page 6)

· Other information

No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous

reactions

No dangerous reactions known

· Conditions to avoid · Incompatible materials:

No further relevant information available. No further relevant information available.

· Hazardous decomposition

products:

No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects

· Acute tox	icity							
· LD/LC50	LD/LC50 values that are relevant for classification:							
65997-15-	65997-15-1 Cement, portland, chemicals							
	Cr(VI)<2							
Dermal	LD50	2000 mg/kg (rabbit)						
Inhalative	LC50/4 h	5 mg/l (rat)						
1305-62-0	1305-62-0 calcium dihydroxide							
Oral	LD50	7340 mg/kg (rat)						
7778-18-9	7778-18-9 calcium sulphate, natural							
Oral	LD50	>1581 mg/kg (rat)						
Dermal	NOAEL	790 mg/kg (rat)						
Inhalative	LC50/4 h	>2.61 mg/l (rat)						
13463-67-	13463-67-7 titanium dioxide							
Oral	LD50	>10000 mg/kg (rat)						
Dermal	LD50	>10000 mg/kg (rabbit)						
Inhalative	LC50/4 h	>6.8 mg/l (rat)						
. Drimanı i	Primary irritant effect:							

· Primary irritant effect:

Irritant for skin and mucous membranes. · Skin corrosion/irritation

· Serious eye damage/irritation Strong irritant with the danger of severe eye injury.

Respiratory or skin

Sensitization possible by skin contact. sensitisation

· Additional toxicological

The product shows the following dangers according to the information:

calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

(Contd. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2022 Version number 10 Revision: 20.05.2022

Trade name Emcefix Floor

(Contd. of page 7)

Irritant

12 Ecological information

· Toxicity

· Aquatic toxicity:

7778-18-9 calcium sulphate, natural

EC50/72h >79 mg/l (Selenastrum capricornutum)

LC50/96h >79 mg/l (fish) EC50 >790 mg/l (BEL)

EC50/48h >79 mg/l (Daphnia magna)

- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.
- · Additional ecological information:
- General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

· **UN-Number** · **ADR, ADN, IMDG, IATA** Void

· UN proper shipping name · ADR, ADN, IMDG, IATA Void

· Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

(Contd. on page 9)





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2022 Version number 10 Revision: 20.05.2022

Void

No

Trade name Emcefix Floor

· Environmental hazards:

· Packing group · ADR, IMDG, IATA

(Contd. of page 8)

· Marine pollutant: · Special precautions for user Not applicable.

· Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

· UN "Model Regulation": Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU · Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 5: Acute toxicity – Category 5 Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3