

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.06.2023 Version number 20 Revision: 25.06.2023

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name Emcefix floor

· Relevant identified uses of the substance or mixture and

No further relevant information available. uses advised against

· Application of the substance

Sealing mortar / the mixture · Details of the supplier of the safety data sheet

MC-Bauchemie Müller GmbH & Co. KG · Manufacturer/Supplier:

> Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: msds@mc-bauchemie.de

2 Hazards identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms



GHS05 GHS07

· Signal word Danger

· Hazard-determining

Cement, portland, chemicals components of labelling:

Cr(VI)<2ppm

calcium suifoaluminate clinker

calcium dihydroxide

Flue Dust, portland zement Causes skin irritation.

· Hazard statements

Causes serious eye damage.

(Contd. on page 2)



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.06.2023 Version number 20 Revision: 25.06.2023

Trade name Emcefix floor

(Contd. of page 1)

May cause an allergic skin reaction.

May cause respiratory irritation.

• **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapours/spray.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

14808-60-7	Quartz (SiO2)	30-60%
65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm	≥20-≤30%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317; STOT SE 3, H335	
	calcium suifoaluminate clinker	≥10-<20%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	_
1305-62-0	calcium dihydroxide	≥1-<2.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	-
68475-76-3	Flue Dust, portland zement	≥1-<2.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317; STOT SE 3, H335	_
7778-18-9	calcium sulphate, natural	<1.5%
13463-67-7	titanium dioxide	<1%
	Carc. 2, H351; Acute Tox. 5, H333	-

4 First aid measures

· Description of first aid measures

After inhalation In case of unconsciousness bring patient into stable side position

for transport.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

· After eye contact Rinse opened eye for several minutes under running water. Then

consult a doctor.

(Contd. on page 3)



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.06.2023 Version number 20 Revision: 25.06.2023

Trade name Emcefix floor

(Contd. of page 2)

· After swallowing

In case of persistent symptoms consult doctor.

· Information for doctor

· Most important symptoms and effects, both acute and

delayed

No further relevant information available.

Indication of any immediate medical attention and special

treatment needed

No further relevant information available.

5 Firefighting measures

· Extinguishing media

• Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· Special hazards arising from

the substance or mixture

No further relevant information available.

· Advice for firefighters

• **Protective equipment:** No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and

emergency procedures Not required.

· Environmental precautions: No special measures required.

· Methods and material for

containment and cleaning up: Ensure adequate ventilation.

Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

Handling

· Precautions for safe handling Prevent formation of dust.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

Requirements to be met by

storerooms and containers: No special requirements.

Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

(Contd. on page 4)



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.06.2023 Version number 20 Revision: 25.06.2023

Trade name Emcefix floor

(Contd. of page 3)

· Storage class 13

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see section 7.

· Control parameters

•	al values that require monitoring at the workplace:	
14808-60-7 Quartz (SiO2	<u>, </u>	
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2	
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0.025* mg/m³ *respirable particulate matter, A2	
BOELV (European Union	Long-term value: 0.1* mg/m³ *respirable fraction	
65997-15-1 Cement, por Cr(VI)<2ppm		
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 1* mg/m³ E; *as respirable fraction, A4	
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust	
1305-62-0 calcium dihyo	droxide	
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 5 mg/m³	
TLV (USA)	Long-term value: 5 mg/m³	
IOELV (European Union)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction	
WEL (Great Britain)	Short-term value: 4* mg/m³ Long-term value: 5 1* mg/m³ *resprable fraction	
69012-64-2 amorphous	silica (fume)	
TLV (USA)	TLV withdrawn	





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.06.2023 Version number 20 Revision: 25.06.2023

Trade name Emcefix floor

	(Contd. of
7778-18-9 calcium sul _l	·
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV (USA)	Long-term value: 10* mg/m³ *as inhalable fraction
13463-67-7 titanium di	oxide
PEL (USA)	Long-term value: 15* mg/m³ *total dust
REL (USA)	See Pocket Guide App. A
TLV (USA)	Long-term value: 0.2* 2.5** mg/m³ resp. fraction, *nanoscale, **finescale, A3
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *total inhalable **respirable
DNELs	<u> </u>
65997-15-1 Cement, po Cr(VI)<2pp	
Inhalative DNEL 1 mg/	m³ (ArL)
1305-62-0 calcium dih	ydroxide
Inhalative DNEL 1 mg/	m³ (ArL)
7778-18-9 calcium sul	phate, natural
Oral DNEL 1.52 i	mg/kg bw/Tag (ArL)
Inhalative DNEL 21.17	' mg/m³ (ArL)
PNECs	
1305-62-0 calcium dih	ydroxide
PNEC 3 mg/l (BEL)	
0.32 mg/l (Mew)	
0.49 mg/l (Suw)	
PNEC 1080 mg/kg dwt	(Bod)
	whate waterwal
7778-18-9 calcium sul	onate, natural

• Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

Personal protective equipment

· General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

• Breathing equipment: In case of brief exposure or low pollution or when application is

performed at confined area with adequate mechanical ventilation

(Contd. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.06.2023 Version number 20 Revision: 25.06.2023

Trade name Emcefix floor

· Material of gloves

(Contd. of page 5)

meeting local authority requirements, use breathing filter apparatus. In case of intensive or longer exposure use breathing

apparatus that is independent of circulating air.

Filter P1.

· **Protection of hands:** Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.
The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

Natural rubber, NR Nitrile rubber, NBR

· Penetration time of glove

material The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Eye protection: Safety glasses

Tightly sealed safety glasses.

· **Body protection:** Protective work clothing.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solid.

Colour: According to product specification

· **Smell:** Characteristic

· **pH-value:** Not applicable.

· Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 2230 °C

· Flash point: Not applicable

· **Self-inflammability:** Product is not selfigniting.

• Explosive properties: Product is not explosive.

· Steam pressure at 1732 °C: 13.5 hPa

· Density at 20 °C 2.74 g/cm³

· Solubility in / Miscibility with

Water: Unsoluble

(Contd. on page 7)



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 25.06.2023 Printing date 25.06.2023 Version number 20

Trade name Emcefix floor

(Contd. of page 6)

· Viscosity: dvnamic: Not applicable. kinematic: Not applicable.

· Other information

No further relevant information available.

10 Stability and reactivity

No further relevant information available. Reactivity

· Chemical stability

Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous

reactions

No dangerous reactions known No further relevant information available.

· Conditions to avoid Incompatible materials:

No further relevant information available.

· Hazardous decomposition

products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

.	D/I C50	values	that are	relevant	for cl	assification:

65997-15-1 Cement, portland, chemicals Cr(VI)<2ppm

Dermal LD50 2000 mg/kg (rabbit) Inhalative LC50/4 h 5 mg/l (rat)

1305-62-0 calcium dihydroxide

LD50 7340 mg/kg (rat) Oral

7778-18-9 calcium sulphate, natural

Oral LD50 >1581 mg/kg (rat) NOAEL Dermal 790 mg/kg (rat) Inhalative LC50/4 h >2.61 mg/l (rat)

13463-67-7 titanium dioxide

LD50 Oral >10000 mg/kg (rat) LD50 >10000 mg/kg (rabbit) Dermal Inhalative LC50/4 h >6.8 mg/l (rat)

Primary irritant effect:

· Skin corrosion/irritation Irritant for skin and mucous membranes.

(Contd. on page 8)



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 25.06.2023 Printing date 25.06.2023 Version number 20

Trade name Emcefix floor

(Contd. of page 7)

· Serious eye damage/irritation Strong irritant with the danger of severe eye injury.

· Respiratory or skin

sensitisation

Sensitization possible by skin contact.

· Additional toxicological

information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

Irritant

12 Ecological information

· Toxicity

· Aquatic toxicity:

7778-18-9 calcium sulphate, natural

EC50/72h >79 mg/l (Selenastrum capricornutum)

LC50/96h | >79 mg/l (fish) EC50 >790 mg/l (BEL)

EC50/48h >79 mg/l (Daphnia magna)

Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available. · Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· ADR, ADN, IMDG, IATA Void

(Contd. on page 9)



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 25.06.2023 Printing date 25.06.2023 Version number 20

Trade name Emcefix floor

		(Contd. of page 8
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · ADR, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.06.2023 Version number 20 Revision: 25.06.2023

Trade name Emcefix floor

(Contd. of page 9)

vPvB: very Persistent and very Bioaccumulative
Acute Tox. 5: Acute toxicity – Category 5
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* * Data compared to the previous version altered.

AF